



Department of Energy

Brookhaven Site Office
P.O. Box 5000
Upton, New York 11973

MAR 27 2008

Mr. Michael Bebon
Brookhaven Science Associates, LLC
Brookhaven National Laboratory
Upton, New York 11973

Dear Mr. Bebon:

**SUBJECT: APPROVAL OF COLLIDER-ACCELERATOR DEPARTMENT (C-AD)
CONDUCT OF OPERATIONS CONFORMANCE MATRIX**

**Reference: Letter from P. Bond, BSA, to M. Holland, SC-BHSO, Subject: Collider-
Accelerator Department Conduct of Operations Conformance Matrix, dated
June 14, 2006**

The Brookhaven Site Office (BHSO) has reviewed the C-AD Conduct of Operations Conformance Matrix as transmitted in the above referenced letter. Based on BHSO review, the Conduct of Operations Conformance Matrix is approved. Enclosed is the C-AD Conduct of Operations Conformance Matrix with its cover page signed (DOE Approval).

If you have any questions, please contact Peter Kelley of my staff at extension 5784.

Sincerely,

A handwritten signature in black ink that reads "M. Holland".

Michael D. Holland
Site Manager

Enclosure:
As Stated

cc: D. Lowenstein, BSA, w/encl.
E. Lessard, BSA, w/encl.
R. Karol, BSA, w/encl.



Brookhaven Area Office
Upton, New York 11973

ra

MAR - 6 1992

Mr. E. Parke Rohrer
Associated Universities, Inc.
Brookhaven National Laboratory
Upton, New York 11973

Dear Mr. Rohrer:

SUBJECT: CONDUCT OF OPERATIONS CONFORMANCE MATRIX - AGS

The Alternating Gradient Synchrotron Conduct of Operations Conformance Matrix has been reviewed by the Brookhaven Area Office and is approved. It was noted in the review that some performance actions are under development, i.e. the AGS Maintenance Program and AGS Safety Analysis Report. When these programs are completed and instituted, the matrix should be appropriately updated.

If you have any questions, please contact M. Butler (ext.3430) or R. Diem of my staff.

Sincerely,

Frank J. Crescenzo
Deputy Area Manager

